



UTV- 6170-R 2007+ RZR-S REAR AXLE GUARDS Installation Instructions

Kit contains:


- 1 - Right rear axle guard
- 1 - Left rear axle guard
- 4 - 5/16-18 x 2.25 bolts
- 4 - 5/16" washers
- 4 - 5/16-18 nylock nuts
- 6 - #10 self tapping screws



Remove the factory rear axle guard by removing two screws. None of this hardware will be reused.




Hold the new Dakota Digital axle guard in place and start one of the bolts through the inner hole along the back edge of the A-Arm. Start a washer and nut to help hold things in place. Do NOT tighten so you have a little flexibility for alignment.




Next, move to the front edge of the A-Arm and hold the axle guard up in place. The three holes in the rock guard should line up with three holes along the front edge of the rear A-Arm. Install three of the self tapping screws here and tighten them up.



Now go back to the rear of the A-Arm and start the last bolt, watching out for the brake line. Tighten up the hardware on the two bolts to complete the install for this side.



Repeat the steps above for the other side and enjoy your new axle guards.



SERVICE AND REPAIR

DAKOTA DIGITAL offers complete service and repair of its product line. In addition, technical consultation is available to help you work through any questions or problems you may be having installing one of our products. Please read through the Troubleshooting Guide. There, you will find the solution to most problems.

Should you ever need to send the unit back for repairs, please call our technical support line, (605) 332-6513, to request a Return Merchandise Authorization number. Package the product in a good quality box along with plenty of packing material. Ship the product by UPS or insured Parcel Post. Be sure to include the RMA number on the package, and include a complete description of the problem with RMA number, your full name and address (street address preferred), and a telephone number where you can be reached during the day. Any returns for warranty work must include a copy of the dated sales receipt from your place of purchase. Send no money. We will bill you after repair.

Dakota Digital 12 Month Warranty

DAKOTA DIGITAL warrants to the ORIGINAL PURCHASER of this product that should it, under normal use and condition, be proven defective in material or workmanship within 12 MONTHS FROM THE DATE OF PURCHASE, such defect(s) will be repaired or replaced at Dakota Digital's option.

This warranty does not cover nor extend to damage to the vehicle's systems, and does not cover removal or reinstallation of the product. This Warranty does not apply to any product or part thereof which in the opinion of the Company has been damaged through alteration, improper installation, mishandling, misuse, neglect, or accident.

This Warranty is in lieu of all other expressed warranties or liabilities. Any implied warranties, including any implied warranty of merchantability, shall be limited to the duration of this written warranty. Any action for breach of any warranty hereunder, including any implied warranty of merchantability, must be brought within a period of 12 months from date of original purchase. No person or representative is authorized to assume, for Dakota Digital, any liability other than expressed herein in connection with the sale of this product.

Dakota Digital

4510 W. 61ST St. N., Sioux Falls, SD 57107
Phone: (605) 332-6513 FAX: (605) 339-4106

www.dakotadigital.com
dakotasupport@dakotadigital.com

©Copyright 2008 Dakota Digital Inc.