



VHX-54C-PU

Dakota Digital VHX Instrument Installation
For '54 and '55 "First Series" Chevy pickup systems

Your new VHX-54C-PU kit should include:

VHX Displays



Universal Sensor Pack



Switch Assembly




Control Box




- (1) 36" CAT5 Cable
- (1) 12" CAT5 Cable

Installation


1. Remove the stock gauges from the dash. They are held in place by three nuts on the tabs of the stock gauge housings. Save the nuts as they will be re-used to secure the new VHX kit.
2. Remove the clear protective tape from the new VHX gauges to prepare them for installation. Secure the new VHX gauges back into the dash re-using the original nuts, six total. The photo, at right, is of the '47-'53 Chevy Pickup but the idea is the same, except the '54 has three mounting tabs instead of four.



3. Connect the two halves of the new VHX system with the supplied 12" CAT5 cable. Also, route the 3' cable towards the control box location and connect it to the display.



4. Display installation is complete, refer to the main manual for wiring instructions to complete the VHX installation.



⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

Copyright 2011 - Dakota Digital, Inc.