



VHX-65F-MUS

Dakota Digital VHX Instrument Installation
For 1965 Ford Mustang - GT and Pony style interiors only
1966 Ford Mustang - All interiors

Your new VHX-65F-MUS kit includes:

VHX Display



Universal Sender Pack



Switch Assembly

Installation Manuals



CAT5 Cable

Ford Speed Adapter




Control Box



8 x 6-20 x
1/2" Screws

Installation

1. Remove the stock instrument system from the dash, then remove the eight (8) back-side screws holding the factory gauges to the bezel.




2. Remove the stock gauges and lens from the bezel. The bezel will be the only piece needed; all other parts can be set aside. Now is a good time to clean the bezel, or upgrade to a new one if desired.



3. Remove the protective tape from the clear lens and insert the VHX system into the bezel. Watch carefully as you insert the system to avoid scratches or damage to the lens.




- Secure the VHX system to the bezel using the eight (8) provided 6-20 x 1/2" screws.



- Connect the CAT5 cable to the system.

As the assembled cluster is installed into the dash, take care when routing this cable to the control box.



- Re-install the cluster into the dash and refer to the main manual for wiring instructions to complete the VHX installation.



⚠️WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

© Copyright 2023 - Dakota Digital

Manual # 650383B