



HDX-62T-FJ

Dakota Digital HDX Instrument Installation
For 1962-'84 Toyota Land Cruiser

Your new HDX-62T-FJ kit includes:

HDX Display



Universal Sender Pack




Buzzer



Installation Manuals



Main Harness



Control Box




Cable Extension




Tang Speed Adapter

Installation

1. Remove the stock gauge cluster from the dash; it is secured by two large screws from the front (arrows). This hardware will be re-used.




2. The stock bezel will be reused; un-crimp the seven (7) tabs that clamp over the stock gauge housing (red arrows). The rubber seal should remain inside the stock bezel (black arrow).



3. If the stock ammeter is still connected in your rig, tie these wires together. You can use a short 10-32 screw, or ideally solder the connection. **Be sure to insulate the connection** as these wires are carrying a large amount of energy.




4. Place the HDX system over the back of the bezel and crimp the seven (7) tabs back over the clear lens. Then, connect the Main Harness and the buzzer (optional for audio feedback) to the back of the HDX system



5. Tip the bottom of the HDX system in the dash to ensure the bottom tabs lay behind the dash and secure the HDX system to the dash using the two (2) stock mounting screws. You are now done mounting the HDX display; refer to the main manual for wiring instructions to complete the HDX installation.



6. The stock oil filter adapter may need to be removed to tap the 1/8 NPT deeper to accommodate the Dakota Digital sender.



7. The supplied speedometer pulse generator can connect directly to the stock transfer case using the included cable and brass tang. Before installation, slide the brass tang onto the end of the cable with the female-threaded collar. See photos below.



Cable and tang, as delivered



7/8" thread-end of cable assembled with brass tang



Sensor threaded on to cable assembly, ready for installation

8. Refer to the main installation and supplemental manuals to complete the HDX installation.

⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

© Copyright 2019 - Dakota Digital