



# RTX-68D-STD

Dakota Digital RTX Instrument Installation  
For 1968-70 Dodge/Plymouth B-Body Non-Rallye

Your new RTX-68D-STD kit includes:

## RTX Display



## Universal Sender Pack



## 3x 0.5" Pan Head Screws



## Buzzer



## Installation Manuals



## 36" Main Harness

## Switch Assembly



## Control Box

## 4x 0.5" Oval Head Screws




## Installation


1. Remove the lower dash pad and switch panel, retaining the hardware recovered for reassembly.




2. Remove the two upper and four lower screws securing the gauge cluster to the dash. The factory gauge cluster can now be taken out of the dash.




3. Remove the nine screws securing the plastic bezel to the gauge cluster. Four are located on the bottom rear of the cluster, five are located on the top. Save these screws for the next step.




4. Mount the factory gauge bezel to the RTX system by reusing the nine screws that held it to the factory gauge cluster.




5. Connect the provided 36" main harness and buzzer cable (optional for audio feedback) to the back of the RTX system. Carefully route the other ends to the control box and buzzer mounting locations as you mount the RTX system into the dash.



6. Mount the RTX system to the dash using the top two original factory screws. Use the provided four replacement oval head screws for the lower mounting points.



7. Re-install the lower dash pad using the three provided pan-head screws. Then mount the switch panel to the dash using the factory hardware from disassembly.



8. Refer to the main manual for wiring instructions to complete the RTX installation.



**⚠WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



4510 W. 61st St. North  
Sioux Falls, SD 57107  
[www.dakotadigital.com](http://www.dakotadigital.com)  
[dakotasupport@dakotadigital.com](mailto:dakotasupport@dakotadigital.com)

Phone (605) 332-6513  
Fax (605) 339-4106

© Copyright 2021 - Dakota Digital