



WWW.DAKOTADIGITAL.COM

VHX-47C-PU

Dakota Digital VHX Instrument Installation
For 1947 - '53 Chevy and GMC trucks

Your new VHX-47C-PU kit includes:

VHX Displays



Universal Sensor Pack



Switch Assembly


Installation Manuals



Foam Gaskets (2x)



Control Box



12" CAT5 Cable



Mounting Tabs (4x)



4-24 x 3/8" Screw (8x)




Installation


1. Remove the stock gauges from the dash. Each gauge is held in place by four nuts on studs on the back of the dash. Save the nuts as they will be re-used to secure the new VHX kit.
2. Your VHX kit comes with two variations for lower mounting tab locations, choose the location you need by aligning the four mounting tabs to the studs in the dash. Once the correct mounting location is decided; secure the tab to the housing by lining up the through-holes in the tab to the holes in the housing and using the supplied screws (4 per gauge). Repeat on second gauge so both Speed and Tachometer have the mounting tabs in the correct location.




3. Remove the clear protective tape from the new VHX gauges and install the supplied gaskets over the new chrome bezel.




4. Secure the new VHX gauges back into the dash re-using the original nuts, eight in total.



5. Connect the two halves of the new VHX system with the supplied 12" CAT5 cable. Also, route the 36" cable towards the control box location and connect it to the display.



6. Mounting is complete; refer to the main manual for wiring instructions to complete the VHX installation.



⚠️WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



**4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com**

Phone (605) 332-6513
Fax (605) 339-4106

© Copyright 2021 - Dakota Digital