




VHX-61C-IMP

Dakota Digital VHX Instrument Installation
For 1961-'62 Chevy Impala

Your new VHX-61C-IMP kit includes:




VHX Display

Universal Sender Pack



CAT5 Cable

(2) Mounting nuts



Control Box



U-brackets (3X)



Plastic Thumb nuts (6x)

Installation


1. Remove the stock gauges from the dash.
2. Insert the three satellite cans from the front of the dash; from left to right: Temp, Tach, Oil. Use the U-brackets and thumb nuts to secure the gauge to the dash while maintaining proper alignment.



3. Place the main gauge over the factory studs. Use the two nuts provided to secure it.



4. Connect the ribbon cables to their respective ends.



5. Connect the CAT5 cable to the system. As the assembled cluster is installed into the dash, take care when routing this cable to the control box.



6. Refer to the main manual for wiring instructions to complete the VHX installation.



⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

Copyright 2011 - Dakota Digital, Inc.