



VHX-63C-CAD

Dakota Digital VHX Instrument Installation
For 1963-'64 Cadillac

Your new VHX-63C-CAD kit includes:

VHX Display

VLC Clock




Universal Sender Pack



Blackout lens



Control Box



Clock Power Harness



Switch Assembly

- (1) 36" CAT5 Cable
- (1) 60" CAT5 Cable




Installation


1. Remove the stock gauge cluster from the dash and save all hardware for reassembly.



2. Looking at the back of the gauge cluster; remove the clock by rotating the clock $\frac{1}{4}$ turn in a clockwise direction until the mounting tabs release and the clock can be pushed out. Also remove and retain the four (4) bolts indicated below to completely remove the stock gauges.




3. Peel the protective cover off the Blackout Lens and place it over the gear indicator opening with the protected side facing down and glue it in place using a black RTV silicone or similar to. Let the silicone fully setup and dry before moving on to the next step to prevent damage to the Blackout Lens.



4. Secure the VLC Clock by placing it into the clock bezel opening from the front orientated as shown below; rotate the clock in a counter-clockwise direction until the mounting tabs lock into place.



5. Mount the VHX System to the stock bezel using the same hardware from disassembly. Connect the 36" CAT5 cable to the back of the VHX system while the 60" CAT5 cable will connect to the clock as well as the clock power harness.



6. The cluster is now ready to re-install into the vehicle using stock hardware, take care when routing the CAT5 cables to the control box mounting location. Refer to the main manual and the 650462 clock manual for wiring instructions to complete the VHX installation.



⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



4510 W. 61st St. North
Sioux Falls, SD 57107
www.dakotadigital.com
dakotasupport@dakotadigital.com

Phone (605) 332-6513
Fax (605) 339-4106

© Copyright 2018 - Dakota Digital