



# VHX-81D-PU

Dakota Digital VHX Instrument Installation  
For 1981-'93 Dodge Pickup

Your new VHX-87D-PU kit includes:

## VHX Display



## Universal Sender Pack



## Installation Manuals



## Switch Assembly



## Brass Speed Adapter




## 36" CAT5e Cable


## Control Box

# Installation


1. Remove the retain the (6) screws in the locations below to remove the OEM bezel. The mounting tabs on the bottom (blue arrows) will release once the screws are taken out and bezel is lifted.




2. Remove and retain the (5) screws in the locations below to remove the stock gauges. Keep these screws separate from the screws retained in the previous step to avoid any confusion.




3. Attach the provided 36" Cat5e cable to the back of the VHX display. Carefully route the other end to the control box mounting location.



4. Install the provided brass speedo adapter into the speed generator. Install the speed generator to the transmission.



5. Mount the VHX system to the dash using the (5) screws retained from step #2.



6. Lower the bezel into the dash and secure the mounting tabs. Attach the OEM bezel to the dash using the retained (6) screws from step #1.



7. Refer to the main VHX manual for control box wiring and setup instructions.



**⚠ WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



4510 W. 61st St. North  
Sioux Falls, SD 57107  
[www.dakotadigital.com](http://www.dakotadigital.com)  
[dakotasupport@dakotadigital.com](mailto:dakotasupport@dakotadigital.com)

Phone (605) 332-6513  
Fax (605) 339-4106

© Copyright 2023 - Dakota Digital